UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO. CONFIRMATION NO.		
10/743,280	12/22/2003	Patricia Anne Nuttall	2488-1-008 4480		
23565 KLAUBER & J	7590 02/21/2007 JACKSON		EXAM	INER	
411 HACKENSACK AVENUE			LI, RUIXIANG		
HACKENSACI	HACKENSACK, NJ 07601 ART UNIT PAPER NU		PAPER NUMBER		
		-	- ₁		
SHORTENED STATUTOR	Y PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE		
30 D.	AYS	02/21/2007	02/21/2007 PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.



UNITED STATES DEPARTMENT OF COMMERCE

U.S. Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION		ATTORNEY DOCKET NO.	
10/743,280	10/22 /2007	Patricia Anne Nuttal	L	2488-1-008	
			EXAMINER		
				Ruix lang Lj	
			ART UNIT	PAPER	
			1646	20070217	

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

Applicants' election with traverse of Group I in the reply filed on 11/27/2006 is acknowledged. Applicants further elected the EV048 sequence shown in Figure 9a. However, Applicants fail to elect a specific amino acid sequence identified by a sequence identifier (SEQ ID NO). Applicants also fail to indicate how the EV048 sequence is related to the peptides of claims 41 and 42. Since the above-mentioned amendment appears to be a bona fide attempt to reply, applicant is given a TIME PERIOD of ONE (1) MONTH or THIRTY (30) DAYS, whichever is longer, from the mailing date of this notice within which to supply the omission or correction in order to avoid abandonment. EXTENSIONS OF THIS TIME PERIOD UNDER 37 CFR 1.136(a) ARE AVAILABLE.

Furthermore, this application still fails to comply with the requirements of 37 CFR 1.821 through 1.825 because the nucleic acid/amino acid sequences in the specification, drawings, and claims have not been identified with a sequence identifier (SEQ ID NO). Applicant must comply with the requirements of the sequence rules (37 CFR 1.821 - 1.825) before the application can be examined under 35 U.S.C. §§ 131 and 132 (see Notice To File Missing Parts of Nonprovisional Application mailed on 08/11/2004). Applicant is given a TIME PERIOD of ONE (1) MONTH from the mailing date of this communication within which to correct the deficiency so as to comply with the sequence rules (37 CFR 1.821 - 1.825) in order to avoid abandonment of the application under 37 CFR 1.821(g). EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ruixiang Li whose telephone number is (571) 272-0875. The examiner can normally be reached on Monday through Friday from 8:30 am to 5:00 pm. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gary Nickol, can be reached on (571) 272-0835. The fax number for the organization where this application or proceeding is assigned is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, please contact the Electronic Business Center (EBC) at the toll-free phone number 866-217-9197.

Ruixiang Li, Ph.D. Primary Examiner February 16, 2007

Rushing L.

RUIXIANG LI, PH.D. PRIMARY EXAMINER

PTO-90C (Rev.04-03)